Dart Hawkesbury 1270 Aberdeen Si Hawkesbury, ON K6A 1K7 Canada Tel (613) 632-5200

# **Purchasing Receipts**

PO No	Supplier	Line Item No	Rel	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit
PO039177	ACI001-VC	2	1	Net 30		1010-1025 Steel Bar .250 X 1.000 : MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR OR CSA G40-21 38W/44W/50W/60W/70W CSA G40-21 OR 38W/44W/50W/60W/70W				12	3/7/2018	12		\$048026	Stock	3/5/2018	\$ 1.07 / ft
		3				806176 Bar 0.375 X 8.000 : MATERIAL: 8061- T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 DR ASTM B211 OR				6		6		S048027	Stock	3/5/2018	\$ 10.70 / ft
									Total:	18		18			-		

Plex 3/5/2018 3:54 PM Dart Dubois Pascal

# 2730

FCR-141-12

48399

# REMEFIL IZAGUIRRE



fremelikizágu de S. A. Zela Aurdi 2 E-20170 Usumit, Span

#### **QUALITY CERTIFICATE (EN 10204-3.1)**

CUSTOMER		5	CERT. NR.	RIF011566	RIF011586		
ORDER NUMBER	B96471		DATE	12/04/2017			
DELIVERY NOTE NR.	028751						
DESCRIPTION		O.F.	QUALITY	HEAT NR.	WEIGHT		
25.4 x 6.35 x 3660 VAISL10	1	095059	AISI 1018	010967	2,244		

CHEMICAL AMAL	(%) 308Y.
	Real
С	0.170
Mn	0,720
P	0,010
S	0.024
Si	0,207
MECHANICAL PRO	PERTIES
	Real
Tensile Strenght (N/mm2)	834
HRB Hardness	100

REMARKS	QUALITY DEPT.				
MELT IN SPAIN - Acc to ASTM A 108 and A29 latest editions	A. Gisbert				

AL388	ORDER NO. MANIFEST NO. 197683 — 5 358425 MADE IN CANADA	CERTIFICATION MILL TEST ASTM B221-14		Hardness Conductivity		Tr Bi Pb Sn Sr Co Al Other 0 0 0 0 Remainder 0
国	COUNTS			Percent	20.50	N B Z
	DATE OF SHIPMENT OCt/13/2016 SALESMAN HOUSE ACCOUNTS	de		Yield Strength (KSI)	41.40	<u>6</u>
	DIENUMBER S 12569 ALLOY PÉNPEM 6061	RABIOESCARTION Flat Bar 8"x 3/8"		Ultimate Tensile Yie Strength (KSI)	44.00	Ni Zn II 0 0.01 0.01
						Mg Cr 0.8 0.08
	1113 CERT CODE: 1 53418 CUSTOMER PO 100664	CUSTOMER PART NUMBER DT12569		Test Date	Oct/06/2016	Mn 0.03
	33418 CU	0.0				Fe Cu 0.18 0.22
				1		0.53
	e e	3	perties	Allox	6061	Allox 6061
MILL TEST	SHIP TO ACIER OUELLETTE	Flat Bar 8"x 3/8"	Mechanical Properties	Lot	A.11	Cast Number Lot Alloy 160302328 A.11 6061
		V			1	

We certify that the following extrusions have been quality inspected/tested and conforms to required dimensional and temper specifications.

David Natale Quality Control Manager

1 - CUSTOMER COPY



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

**PURCHASE ORDER** PO039177

Tel (613) 632-5200

Supplier:

ACI001-VC

Acier Ouellette Inc. 935 Boul. Du Havre

Valleyfield

QC

J6S 5L1 Canada Phone: 800 667 4248

Fax: 450 377 5696

PO No:

PO039177

PO Date:

3/2/18

Due Date: Purchase Order

Revision:

3/7/18

**Revision Date:** 

Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury

K6A 1K7 Canada Phone: 613-632-5200 Via:

Ground

**Pymt Terms:** 

Net 30

Freight Terms:

Special Comments: quotation no. sou0089766, sou0089404

				Items						
Line Item		Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	M303R0.750		303 Round Bar 0.750 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft	Firmed	3/7/18	168 ft	O ft		\$4.8507142/ft	\$814.92
2	M1018B0.250x1.000		1010-1025 Steel Bar .250 X 1.000 : MATERIAL: AISI 1010- 1025 OR ASTM A36/A366/A569/A570 OR OR CSA G40-21 38W/44W/50W/60W/70W CSA G40-21 OR 38W/44W/50W/60W/70W	Firmed	3/7/18	12 ft	17			\$12.85 AS 1
3	M6061T6B0.375X8.000		6061T6 Bar 0.375 X 8.000 : MATERIAL: 6061- : MATE	Firmed	3/7/18	6 ft	6	6 ft	\$10.69666/R	\$64.18 DAS 11 9-89
	1		eceive it		-	1	Ť		Grand Total:	\$891.9

**Order Notes** 

Plex 3/2/18 10:46 AM dart.lavoie.chanta

#### **Order Notes**

**Procurement Quality Clauses** 

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 3/2/18 10:46 AM dart.lavoie.chantal



. . . . .

ACIER OUELLETTE INC. 935, Boul. du Hâvre Salaberry de Valleyfield (Québec) J6S 5L1 Tél.: 450-377-4248 Mti: 514-336-4248 Ext.: 806-667-4248 Fax: 450-377-5696 Mti: 514-336-4246 Ext.: 866-456-4242

Amount 814.92 818.87 SOU0089766 925.32 TVH-13 · · 106.45 58.208 Price Sub-total Total (\$CAD) 14.00 Pcs Nb Josianne Bourdon 2018/03/09 OUELLE SDV Net 30 Days C\_10001056 2018/03/02 JOSTANNE Price M/N 168.00 PI Quotation Oth Prices valid until Your Order No Processed by Customer N° Credit Terms Revision N° Salesman 168.00 PT\_\$CLB Date : Carrier Qty U/M This offer is based on availability and current pricing conditions that may be revised upon reception of the order.

This offer is subject and conditional to credit approval. Date Page 252.34 Weight 252,34 Total Weight (Lbs) FRAIS\_ENERGETTQUE Att : CHANTAL LAVOIE Tél.: 613-632-5200 Product N° and description 1270, ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7 SURCHARGE ENERGETIQUE 5761 ROUND SS 3/4 303 (R) \* Approuved and Accepted by: 14 X 12' R/L 2-3 DAYS DART AEROSPACE LTD RSS-34303 Shipped to , Ontario, Billed to Important



#### **ACIER OUELLETTE INC.**

935, Boul. du Hâvre

Salaberry de Valleyfield (Québec) J6S 5L1

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

# Quotation

SOU0089404

Billed to

DART AEROSPACE LTD

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

Att: CHANTAL LAVOIE Tél.: 613-632-5200

Customer No

CLI0001056

Date

2018/03/01

Revision N°

0

Prices valid until

2018/03/08

Your Order No

Processed by

Josianne Bourdon

Salesman

JOSIANNE

Carrier

**OUELLE SDV** 

**Credit Terms** 

Net 30 Days

Page

1

			Page			1			
Product N° and description	Weight	Qty	U/M	Qty	U/M	Price	Pcs Nb	Price	Amoun
FLAT CR 1/4 X 1 1018 (R) * FCR-141	10.20	12.00	PI_\$CLB	12.00	PI		1.00	12.850	12.85
AL. PLAT 1/2 X 4 1/2 6061T6 N 1 X 12' 2-3 DAYS	0.00	1.00	UN	1.00	UN		1.00	115.000	115.00
FLAT ALU 3/8 X 8 6061-T6 * FAL-388 <b>2629</b> 1 X 6' STOCK	21.17	6.00	PI_\$CLB	6.00	PI		1.00	64.180	64.18
COUPE A LA SCIE SCIE 1		1.00	UN	1.00			L		
SURCHARGE ENERGETIQUE  FRAIS_ENERGETIQUE			\$						3.95

Total Weight (Lbs)

31.37

**Important** 

This offer is based on availability and current pricing conditions that may be revised upon reception of the order.

TVH-13 · · 25.48

This offer is subject and conditional to credit approval.

Approved and Accepted by :

Date :

Total (\$CAD)

Sub-total

221.46

195.98

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL CERT REC'D:  QUANTITY RECEIVED:  QUANTITY INSPECTED:  QUANTITY REJECTED:	THICKNESS ORDERED: 0.375 THICKNESS RECEIVED: 0.375 SHEET SIZE ORDERED: 11/A SHEET SIZE RECEIVED: 1/A							
DESCRIPTION	NC (Che	eck		-		COMMEN	тѕ	
SURFACE DAMAGE		N			-			***
CORRECT FINISH	(Y)	N						
CORROSION	Y	(N)				-		
CORRECT GRAIN DIRECTION	(Ŷ)	N						
CORRECT MATERIAL PER M-DRAWING	(2)	N	Astm	Ba:	2/			
CORRECT THICKNESS	(Y)	N	10	100				
PHOTO REQUIRED	X	(N)	. /	, ,				
CORRECT REF # TO LINK CERT	0	N	Tents	# 160	230	23215		
ORRECT MATERIAL IDENTFICATION	(8)	N,	, , ,				· · · · · · · · · · · · · · · · · · ·	
CORRECT M# ON THE MATERIAL	(P)	N						
DOES THIS MATERIAL REQUIRE								
ENGINEERING SIGN OFF	Y	M						
DOES THIS REQUIRE AN		7						
EXTRUSION REPORT	Y	N)						
CUT SAMPLE PIEC						A HARDNE	SS CHECK.	
	R		RD RES					
		-	IRC	HRE	3	DUR A	DUR D	WEBSTER
YPE OF MATERIAL								
IZE OF TEST SAMPLE								
IARDNESS / DUROMETER READ	_		ocated in					

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

ENGINEERING SIGNOFF (if required)

SIGNED OFF BY:

9-89MAR 0 5 2018

QC 18 INSPECTION

INSPECTED BY:

DATE:

SHEET 1 OF 1 09.07.13 01.06.08 DATE DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA
DRAWING NO.

MG061T6B Sa S REMOVE OQ.4.250/11 OPTION, REFORMAT NOTES, ADD ASTM B211/B221 (ZN D7-1) NEW ISSUE APPROVED MFG. APPR. CHECKED DESIGN DRAWN

COPYRIGHT © 2001 BY DART AEROSPACE LTD

- 6061-T6 BAR

09.07.13

DATE OF

SPECIFICATION CONTROL DRAWING

0

PURCHASE MATERIAL: 6061-76/1/651/1/6511/1/62 ALUMINUM BAR

SPECIFICATION:

QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR QQ-A-200/8 OR AMS-QQ-4-200/8 (OR AMS 4160) OR ASTM B211 OR ASTM B227

PART NUMBER:

9

٥

M6061T6B T.TTT X WW.WWW WIDTH THICK

WHERE "T.TT" = THICKNESS IN INCHES "WW.WWW" = WIDTH IN INCHES

E.G. 1.0" X 12.0" BAR = M6061T6B1.000X12.000

U

8

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MIOI DATE:	MAI	30.	250x) 2018	<u>.000</u>		PO / BATCH	H NO.: <u>039</u>	177/504802		
MATERIAL CERT REC'D:	10	5			THIC	CKNESS ORDE	RED: 0,2	50		
QUANTITY RECEIVED:	12			THICKNESS ORDERED: 0,250 THICKNESS RECEIVED: 0,250						
QUANTITY INSPECTED:	7	1		_		ET SIZE ORDE		4		
QUANTITY REJECTED:	-			_		ET SIZE RECE	-	4		
Q0/W//// NESEOTES			_	-	OHE	LT SIZE NEGE	IVEDN/	7		
DESCRIPTION	(CI	CR heck (N)		-		COMMEN	TS			
SURFACE DAMAGE	_	I(N)	-							
CORRECT FINISH	Y									
CORROSION	Y	(N)								
CORRECT GRAIN DIRECTION	(8)	N								
CORRECT MATERIAL PER M-DRAWING	3	N	Asta	AINX	7	7				
CORRECT THICKNESS	(Y)	N	1	111 U						
PHOTO REQUIRED	Y	(N)								
CORRECT REF # TO LINK CERT	(1)	N	Hen Y.	HOK	196	7				
CORRECT MATERIAL IDENTFICATION	(3)	N	10,000	-	-					
CORRECT M# ON THE MATERIAL	(Y)	N								
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Υ	(A)								
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	M								
		V	,							
CUT SAMPLE PIECE				AND PRE			SS CHECK.			
			HRC	HR	В	DUR A	DUR D	WEBSTER		
YPE OF MATERIAL										
SIZE OF TEST SAMPLE										
HARDNESS / DUROMETER READII	NG									

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY:	DAS	SIGNED OFF BY:
DATE:	9-8 MAR 0 5 2018	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

1 2012 -09- 21 U

CP 12.09.05 DS 01.06.12 BY DATE REV. B SHEET 1 OF 1 DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA
DRAWING NO.
M1018-R COPYRIGHT © 2601 BY DART AEROSPACE LTD 1018-1025 ROUND BAR B REFORMAT, ADD ASTM A108, ADD TOLERANCES
A NEW ISSUE 8000 12.09.05 CHECKED
MFG. APPR.
APPROVED
DE APPR.
DATE 12 ( DESIGN DRAWN

PURCHASE MATERIAL: AISI 1018-1025 ROUND BAR SPECIFICATION: MIL-S-7097 OR/ASTN/A+08

0

SPECIFICATION CONTROL DRAWING

S

9

8

0

M1018-R D.DDD WHERE D.DDD = DIAMETER IN INCHES DIA. PART NUMBER:

EG. 7/8" ROUND BAR = M1018-R0.875

PER ASTM A108 AS FOLLOWS: TOLERANCES:

TOLERANCE +0.000/-0.003 +0.000/-0.004 +0.000/-0.005 +0.000/-0.006 SIZE UP TO 1.5" INCL. OVER 1.5" TO 2.5" INCL. OVER 4.0" TO 6.0" INCL. OVER 4.0" TO 6.0" INCL.